

FIP-BM30A

WIFIP







Y. Sallaz-Damaz MXCuBE Meeting - January 2017

FIP-BM30A: WUI



Web-based user Interface for FIP

FIP-BM30A: WUI






→ Use the beamline easily from a browser from anywhere
 → Allow local contact to help the user remotely

WIFIP is in function since September 2015

FIP-BM30A: principle



FIP-BM30A : Sample changer

ಶಿ	BM30A - WIFIP - Mozilla Fi	refox				↑ _	
BM30A - WIFIP × 日							
(i) d30server:9000		C	Q, Search	T	合自 🛡 🖡	A	
Show/hide Scale		MD2 - Sampl	Plate - In situ	Energy	Collection	1	
			8) 7 6	Mount Mount Dismount 3 2 1 9 0 Wash			
		$ \begin{array}{c} C \\ 6 \\ 7 \\ 9 \\ 10 \\ 12 \end{array} $ Currently m					
$\langle $				y mounted :	 Anneal 	<u>j</u>	
		A	Matrix C n/a	ode :	(Dis)Mo in manual		
		Angle : 39.8°	0 90 180	270 - :	ok		
		Spec Status 97.FIPCONTROL> print \$USER		Robot G-Rob			
		97.FIPCONTROL> print \$	USER	Waiting			
		Syntax error on "\$".		A Home	e Stop		
Zoom 6X 🔨	Focus 🕿 🥆 🗸 🖌						
EH Camera	Lights (%)	Accessories	Current Action State		Current Action State		
	Front	Beam stop 1	IN O	Cryo short	IN O		
	0	Beam stop 2	оит 🕜	Cryo long	оит 🕠		
	Back OUT 🕞	Diode	оит 🕥	Hori. slits (µm)	300 300)	
	0	MCA	оит 🕜	Vert. slits (µm)	300 300	j	
ocal contact tool : 🕜 Locked Oxford is	too hot : your frozen cristal can be	in danger					

FIP-BM30A : Plate changer

0	BM30A - WIFIP - Mozilla Fire	fox				+ _ = ×
BM30A - WIFIP × 🗣						
(d30server:9000		G	Q Search	<u></u>	1 🗎 🛡 🖡	î ≡
Show/hide Scale		MD2 - Sampl	Plate - In situ	Energy	Collection	
	이 나는 바다	Туре	Greiner	'CrystalQuick X' (9	(96x2)	
2011년 대한 대한 영화					C Mount	
					😧 Dismount	
					Move to well	
	\rangle					
		HODOOC		No plate mounted		
		Crystal list :) + - Ma	ove to Send	
승규야 도 전 방법 법적 및		Angle : 39.8°	-35 -30 -15 0	15 30 35	- : ok	
e shigh hitshir - 11-		Spec Status Robot			Rob	
Zoom 6X 🔨	Focus 🙈 ∧ 🗸 😽	97.FIPCONTROL> print print \$USER Syntax error on "\$".	\$USER	Walting	Stop	
EH Camera	Lights (%)	Accessories	Current Action State		Current Action State	
	Front	Beam stop 1	IN 💽	Cryo short	IN O	
		Beam stop 2	оит 🕜	Cryo long	оит 🕜	
	Back OUT	Diode	оит 🕠	Hori. slits (µm)	300 300	
	0	MCA	оит 🕜	Vert. slits (µm)	300 300	
Local contact tool : ① Locked Oxford is to	o hot : your frozen cristal can be i	n danger				

FIP-BM30A : Feedback

After 16 month what is the user feedback ?

Multi users simultaneously (student at the beamline, the researcher away)

Using every where

Session persistency

Easy to use remotely

UI easy to learn

Camera feedback

It's not MxCUBe

No IcepyB connection

No MCA in the first version